

h HAFNER

Simply the best!



Product Range Catalogue

**India's Leading
Kitchen Appliances
Brand**

**My Kitchen
Hafner Kitchen**

CROWN

Width : 60cm & 90cm

Airflow : 1250 m³/h

Control : 3 Speed Motion Sensor

Function : Heat Auto clean

Filter : Baffle Filter

Blower : Plastic

Lamp : LED



BLEO

Category : Wall Mounted Hood

Finish : SS / BK

Width : 60 cm and 90 cm

Airflow : 1250m³/h

Control : 3 Speed Push Button control

Filter : Baffle Filter

Lamp : LED

Exhaust Aluminium pipe of 6 Feet



GLORY

Category : Wall Mounted Hood

Finish : SS / BK

Width : 60cm, 75cm and 90cm

Airflow : 1250m³/h

Control : 3 Speed Push Button control

Filter : Baffle Filter

Lamp : LED

Exhaust Aluminium pipe of 6 Feet



GLOSSY

Category : Wall Mounted Hood

Finish : SS / BK

Width : 60cm

Airflow : 1250m³/h

Control : 3 Speed Push Button control

Filter : Baffle Filter

Lamp : LED

Exhaust Aluminium pipe of 6 Feet



HEXA

Category : Wall Mounted Hood

Finish : SS / BK

Width : 60cm, 75cm and 90cm

Airflow : 1300m³/h

Control : 3 Speed Touch control

Function : Heat Auto Clean

Filter : Filterless

Blower : Metal Blower

Oil Collector : S. Steel

Lamp : LED



LEXY

Category : Wall Mounted Hood

Finish : SS / BK

Width : 60cm, 75cm and 90cm

Airflow : 1300m³/h

Control : 3 Speed Push Button control

Filter : Baffle Filter

Blower : Metal Blower

Lamp : LED



PRISM

Width : 60cm & 90cm
Airflow : 1250 m³/h
Control : 3 Speed Motion Sensor
Lamp : LED
Motion Sensor : 3 Speed
Auto Clean Hoods: Heat Auto Clean
Filter : Baffle Filter
Exhaust Aluminium pipe of 6 Feet



PLON

Category : Wall Mounted Hood
Finish : Black and Stainless Steel
Width : 60 cm & 90 cm
Airflow : 1000 m³/h
Control: 3 Speed, Touch control
Filter : Filter less concept
Lamp : Led Lamp
Blower : Metal Blower
Exhaust Aluminum pipe of 6 Feet



VOLT

Category : Wall Mounted Hood
Finish : Tempered Glass
Width : 60cm & 90cm
Airflow : 1250 m³/h
Control : 3 Speed Motion/ Touch Control
Function : Heat Auto clean
Filter : Baffle Filter
Lamp : LED



RUBY

Category : Wall Mounted Hood
Finish : Black and Stainless Steel
Width : 60 cm & 90 cm
Airflow: 1000 m³/h
Control: 3 Speed, Touch control
Filter: Filter less concept
Lamp : Led Lamp
Blower : Metal Blower
Exhaust Aluminum pipe of 6 Feet



ALFA 3B

Toughened glass : 760x450x6mm,
with Aluminum alloy edge wrapping

Burner Size : 90mm/70mm/90mm

Ignition type : Pulse ignition

Drip Tray : Full-sealing Stainless Steel

Product size : 760x450x26mm (optional rubber legs: 35mm)



BRIO 3B

Toughened glass : 760x450x6mm

Burner Size : 90mm/70mm/90mm

Ignition type : Pulse ignition

Burner Type : Brass Burner cap with black coating

Drip Tray : Full-sealing Stainless Steel

Aluminum Frame Different colors optional (black, silver, red, pink)



LEXUS- 3B

Width : 75cm

Finish : Black

Glass : Toughened

Burner Configuration : 3 Burner – 2 Mini + 1 Medium

Pan Support : MS Powder Coated

Size LxWxH in mm : 750*520*120



ALFA 4B



Model Name : ALFA 4B

Toughened glass : 760x450x6mm,
with Aluminum alloy edge wrapping

Burner Size : 90mm/70mm/90mm/70mm

Ignition type : Pulse ignition

Burner Type : Brass Burner

Product size : 760x450x26mm (optional rubber legs: 35mm)

BRIO 4B



Model Name : BRIO 4B

Burner Size : 90mm/70mm/90mm/70mm

Ignition type : Pulse ignition

Burner Size : 90mm/70mm/90mm/70mm

Burner Type : Brass Burner Cap with Black Coating

Product size : 760x450x26mm (optional rubber legs: 35mm)

LEXUS 4B



Width : 75cm

Finish : Black

Glass : Toughened

Burner Configuration : 4 Burner – 2 Mini + 1 Medium + 1 Jumbo

Pan Support : MS Powder Coated

Size LxWxH in mm : 750*520*120

MAGNUS 4B



Model Name : Magnus 4B

Toughened glass : 760x450x6mm,
with Aluminum alloy edge wrapping

Burner Size : 90mm/70mm/90mm/70mm

Ignition type : Pulse ignition

Burner Type : Brass Burner Cap with Black Coating

Product size : 760x450x26mm (optional rubber legs: 35mm)

KERO 4B



Model Name : Kero 4B

Toughened glass : 760x450x6mm, with
Aluminum alloy edge wrapping

Ignition type : Pulse ignition

Burner Size : 90mm/70mm/90mm/70mm

Burner Type : Brass Burner Cap with Black Coating

Product size : 760x450x26mm (optional rubber legs : 35mm)

PALINO 4B



Model Name : Palino 4B

Toughened glass : 760x450x6mm, with
Aluminum alloy edge wrapping

Ignition type : Pulse ignition

Burner Size : 90mm/70mm/90mm/70mm

Product size : 760x450x26mm (optional rubber legs: 35mm)

ARK 3B

Toughened glass : 770*380*7 mm
Burner Size : 90mm/70mm/90mm
MS Frame
MS O rings
Aluminum bundy pipe
Brass burner
Aluminum Mixing tube



BRAVO 2B

Toughened glass : 700*360*7 mm
SS Frame
Bakelite knobs
MS O rings
SS Drip tray
Aluminum bundy pipe
Brass burner
Aluminum Mixing tube
MS electroplated pipe



KYLE 2B

Toughened glass : 700*380*7 mm
MS Frame
Bakelite knobs
MS O rings
SS Drip tray
Aluminum bundy pipe
Brass burner



NAF 4B

4 Burner LPG Gas Stove with Glass Top
Powder Coated PAN Support
2 Medium + 2 jumbo Burner
PAN Support : Fireproof Special Coating
Anti skid rubber legs
Rust free and Easy to Clean



PASSION 3B

Toughened glass : 770*380*7 mm
SS Frame
Bakelite knobs
MS O rings
SS Drip tray
Aluminum bundy pipe
Brass burner
Aluminum Mixing tube
Revolving Nozzle
MS electroplated pipe



PRIME 3B

Toughened glass : 690*360*6 mm
MS Frame
Bakelite knobs
MS O rings
SS Drip tray
Aluminum bundy pipe
Brass burner
Aluminum Mixing tube
MS electroplated pipe



ROOMY PIUS 3BB

Toughened glass : 770*380*7 mm

MS Frame

MS O rings

SS Double Drip tray

Aluminum bundy pipe

Brass burner

Aluminum Mixing tube

Revolving Nozzle

MS electroplated pipe, 1S+1M+1Jumbo



ROYAL 4BB

Toughened glass : 710*510*7mm

MS Frame

Metal knobs

MS O rings

MS euro coated square Drip tray

Aluminum bundy pipe,

Forged Brass burner with lazer marking

Aluminum Mixing tube

Imported valves

Heavy pan supports with cast Iron look, 1S+2M+1J



STAR 4B

4 Burner LPG Gas Stove with Glass Top

Powder Coated PAN Support

1 Small + 2 Medium + 1 Super

Jumbo Burner

PAN Support : Fireproof Special Coating

Anti skid rubber legs

Rust free and Easy to Clean



COOKING RANGES

Toughened glass finish working top
Capacity 63L
Stainless steel model
4 brass burner on top with separate grill
Oven chambers, all operating on gas
Thermostatically-controlled
Enameled oven chamber
Spring-loaded tempered glass top cover
Auto-Ignition (optional) for burners on top
Size: 51 x 63 cm



ALFA

Power Consumption: 1400 W

Color: Black

Touch Controls

2000W Strong Fire Power

Sensor Touch Control Function

Auto Shutoff Safety Protection and

Overheat protection | Advanced High-Quality Coil

Super Wide Voltage Adaptability | Multi Cooking Functions

93-percent energy saving technology



BETA +

Multi-function Portable Electric
Burner Stove

Stir-fried, Barbecue, Soup, Function,
Timing, LED digital display,

1900 W High Power Cooktop : Ceramic electric
cooktop can rapid heating sustained large firepower
produce different delicious foods.

Heat Dissipation : Microcrystalline face plate is high
temperature resistant



INDI 10

Voltage (V) : AC220-240V

Frequency (Hz) : 50Hz

Coil Type : Alloy/Hybrid Coil

Wattage : 1400 watt

Control : Push Button



BQ2

Push Button Model
Power:2000W
Black Crystal Plate
Copper coil
Power cord: 1.5m
4 digits display
Button control
7 cooking functions
10 levels of power and temperature adjustable



A8

Push Button Model
Power:2000W
Black Crystal Plate
Copper coil
Power cord: 1.5m
4 digits display
Button control
7 cooking functions
10 levels of power and temperature adjustable



BQ1

Push Button Model
Power:2000W
Black Crystal Plate
16*27 copper coil
Power cord:1.5m
4 digits display
Button control
7 cooking functions
8 levels of power and temperature adjustable
Timer Control Option
Power consumption visibility, Unique
Child Lock



W22

Push Button Model
Power:2000W
Black Crystal Plate
Copper coil
Power cord: 1.5m
4 digits display
Button control
7 cooking functions
10 levels of power and temperature adjustable



BLCD1

Touch Model
Power:2000W
Big Body with Big Crystal plate
Copper coil
Power cord : 1.5m
4 digits display
Sensor touch control
8 cooking functions
10 levels of power and temperature adjustable



W44

Touch Mode
Power:2000W
Black Crystal Plate
Copper coil
Power cord: 1.5m
4 digits display
8 cooking functions
10 levels of power and temperature adjustable



W66

Touch Mode
Power:2000W
Black Crystal Plate
Copper coil
Power cord: 1.5m
4 digits display
7 cooking functions
10 levels of power and temperature adjustable



I 31 - I

Touch Mode – Infrared
Power:2000W
Crystal Plate
Power cord: 1.5m
High temperature resist black
Multiple cooking functions
10 levels of power and temperature adjustable



W77 – KNOB

Power: 2000W
Black Crystal Plate
Copper coil
Power cord: 1.5m
4 digits display
Knob control
7 cooking functions
10 levels of power and temperature adjustable



W44

Touch Mode
Power:2000W
Black Crystal Plate
Copper coil
Power cord: 1.5m
4 digits display
7 cooking functions
10 levels of power and temperature adjustable



DB 20

500 watt and SS 304 Blades
2 Years Warranty
Sturdy Grip Handles
ISI Certified
Nylon Coupler



DB 21

500 watt and SS 304 Blades
2 Years Warranty
Sturdy Grip Handles
ISI Certified
Nylon Coupler



KELLY 650

650 watt and SS 304 Blades
2 Years Warranty
Sturdy Grip Handles
ISI Certified
Nylon Coupler



MAGNUS

500 watt and SS 304 Blades
2 Years Warranty
Sturdy Grip Handles
ISI Certified
Nylon Coupler



VICTOR

500 watt and SS 304 Blades
2 Years Warranty
Sturdy Grip Handles
ISI Certified
Nylon Coupler



GALAXY

500 watt and SS 304 Blades
2 Years Warranty
Sturdy Grip Handles
ISI Certified
Nylon Coupler



HBIO 67L 4F

Multiple cooking way : Solo/Grill /Convection

Microwave Power output : 900W

Convection power : 2050W

Time setting: Max. 95 : 00mins

270mm glass turntable

Safe Child Lock Feature

10 Microwave Power Levels

Digital Clock(12/24 hours system)



HBIO 80L 6F

Power Source : Electric

Power (W) : 1550

Voltage (V) : 230

Housing Material : Stainless Steel

Function : Grilling, Steam Cooking,

True Microwave, Touch Control

Type:Convection Microwave Oven

Controlling Mode : Digital Timer Control

Touch Control Built In Microwave Oven With Steam

Oven capacity : 36L



HMWO 20L SS

Power Source : Electric

Power (W) : 900

Voltage (V) : 220

Housing Material : Stainless Steel

Controlling Mode : Digital Timer Control

Power Microwave Consumption : 1400W

Power Grill Consumption : 1000W

Color : Silver/Black



HMWO 25L BK

Power Source : Electric

Power (W) : 900

Voltage (V) : 220

Capacity : 20L, 23L, 25L or 32 L

Function : Grilling, Steam Cooking,
True Microwave, Microwave +Grill.

Power Grill Consumption : 1000W

Power Microwave Consumption : 1400W

Glass plate size : 270mm

Color : Silver/Black



KLARA

Professional elegant design
Cordless and 360 degrees rotation
With power indicator light
360 Degree power base
No water filter and easy cleaning
Outer with plastic shell for heat insulation
Double wall construction for both body and lid
Power 1500 watts



MERZ

Professional elegant design
With power indicator light
No water filter and easy cleaning
Cordless and 360 degrees rotation
With good quality temperature controller
Double wall construction for both body and lid



REV

Professional elegant design
Cordless and 360 degrees rotation
With power indicator light
No water filter and easy cleaning
With good quality temperature controller
Outer with plastic shell for heat insulation
Double wall construction for both body and lid



GEM

Super powerful motor
Efficient juicing
Compact space saving design
Two speed motor
Easy to clean
Elegant & Compact Designing.



MOON

Super powerful motor
Efficient juicing
Compact space saving design
Two speed motor
Easy to clean
Elegant & Compact Designing.



DIWA – 8PR 14S

Power Source : Electric
App-Controlled : No
Color : silver/Stainless/White
Dimensions : 600*600*850mm
Setting : 12sets
Delay hour start : Yes (1~24 hr)
Safety : Anti-flood , Anti-leakage
Control Type : Full-Integrated



DIWA – 6PR 12S

Housing Material:Plastic
Inner Material:Stainless Steel
Power (W):1470
Voltage(V):220
Type: Freestanding
Application:Household
Power Source:Electric
App-Controlled:Yes
Color : White & Black



HAFNER OTG

Auto shut off : Yes

Indicator Light : Yes

Functions: Convection, Rotisserie

Special Steel with Black Coating & Tempered Glass

Capacity: 45 Liters with 2000 watts,
60 minutes timer with bell ring



SM DELUXE

Wattage : 800 to 1000 Watts
Item Dimensions : 27 x 12 x 26 Cm
Durable die cast aluminium grill plates
Heat Resistant, Bakelite body
Non-Stick Greblon Coating
Tight Locking Mechanism
Compact Upright Storage



SMX

Wattage : 800 to 1000 Watts
Item Dimensions : 27 x 12 x 26 Cm
Durable die cast aluminium grill plates
Heat Resistant, Bakelite body
Non-Stick Greblon Coating
Tight Locking Mechanism
Compact Upright Storage



HALF DBX +

Capacity of basket: 3.5 L
Capacity of outer pot : 4.6 L
Time to reach the max temperature around 3mins
Overheating protection function
Cool touch handle & non-slip feet
Non-stick coating for each cleaning
With big digital screen



HALF DBX

Capacity of basket : 3.5L
Capacity of outer pot : 4.6L, Time to reach the max temperature around 3mins
Overheating protection function
Cool touch handle & non-slip feet



HALF 400

Easy grip handle.
Non-stick trivet and pot for removes easily and quick cleaning.
360° heat circulation technology cuts out the greasy oil, adjust the dial up to 200C for big taste , less fat.



OZO GREEN

Capacity : 10L
Rated Power : 7W
Gross Weight : 2 kgs
Working Modes : 3 Modes
Product Size : 330*270*310mm
Rated Voltage : 220V
Frequency : 50Hz
Color Options : Green



OZO RED

Capacity : 10L
Rated Power : 8W
Working Modes : 3 Modes
Product Size : 330*270*310mm
Rated Voltage : 220V
Frequency : 50Hz
Color Options : Red



GAS WATER GEYSER

Powder Coated Body ,
800gms
Copper heat exchanger,
Stainless Steel Burner,
Water Flow 6 lt/minute (Max),
Auto Ignition,
Flame Failure Device,
20 minute Cut Out Device



DIGITAL MODEL 1

Stainless Steel Big Body,
1000gms
Heat Exchanger ,
Stainless Steel Burner,
Water Flow 6lt/minute (Max),
Auto Ignition,
Flame Failure Device,
20 minute Cut Out Device.
WITH DIGITAL TEMPERATURE DISPLAY SCREEN



COOKWARE SET

Material : Aluminium
Finish type : Non Stick
Colour : Black
Capacity : 4 Litres
Item Weight : 1.5 Kilograms



PRESSURE COOKER

Brand : NS Cooker
Material : Aluminium
Colour : Black
Capacity : 3 Litres
Dimensions : 21 x 17 x 21 Centimeters
Voltage : 3 Kilovolts
Control Method : Touch



NS FRYPAN

Material : Non-stick Aluminium
Size : Fry Pan (240mm, 1.7 Liter)
Base type : Induction Base
Base thickness (in mm) : 2.8 mm
Included components : 1 Fry Pan
Durable Granite finish
Induction and Gas stove compatible
Superior Non stick surface



DOUBLE BOWL

Handmade 304 stainless steel kitchen sinks Sizes.

30" X 18" X 8.5"

34" X 18" X 8.5"

40" X 18" X 8.5"

44" X 18" X 8.5"



DOUBLE BOWL WITH DRAIN BOARD

Handmade 304 stainless steel kitchen sinks.

Double bowl with drain board.

46" X 18" X 8.5"



SINGLE BOWL

Handmade 304 stainless steel kitchen sinks.

16" X 18" X 8.5"

17" X 18" X 8.5"

21" X 18" X 8.5"

24" X 18" X 8.5"



SINGLE BOWL WITH DRAIN BOARD

Handmade 304 stainless steel kitchen sinks.

36" X 18" X 8.5"

36" X 20" X 8.5"



CLASSY

Non Stick coated sole plate
Cool Touch Body
Edge technology
Safety plus- Thermal Fuse
Unique temperature control
Power indicator
360 degree Swivel cord
High Performance
Light weight body
1000 WATTS



INSTA

Non Stick coated sole plate
Cool Touch Body
Edge technology
Safety plus- Thermal Fuse
Unique temperature control
Power indicator
360 degree Swivel cord
High Performance
Light weight body
1000 WATTS



LEO

Non Stick coated sole plate
Cool Touch Body
Edge technology
Safety plus- Thermal Fuse
Unique temperature control
Power indicator
360 degree Swivel cord
High Performance
Light weight body
1000 WATTS



REMEX

Non Stick coated sole plate
Cool Touch Body
Edge technology
Safety plus- Thermal Fuse
Unique temperature control
Power indicator
360 degree Swivel cord
High Performance
Light weight body
1000 WATTS



ELPIS WH 25 L

8 Bar Pressure rating
5 – 75 Degree Celsius temperature
Thermal Cutt off
Copper heating element
Multifunction Valve
Available in 10L, 15L, 20L & 25L



ELPIS WH 25 L

8 Bar Pressure rating
5 – 75 Degree Celsius temperature
Thermal Cutt off
Copper heating element
Multifunction Valve
Available in 10L, 15L, 20L & 25L



ELPIS WH 25 L

8 Bar Pressure rating
5 – 75 Degree Celsius temperature
Thermal Cutt off
Copper heating element
Multifunction Valve
Available in 10L, 15L, 20L & 25L



TELEO W

Over heating protection
Tip Over switch
Power indicator
Strong body with safety protection
Power consumption 2100 W



TELEO Y

Over heating protection
Tip Over switch
Power indicator
Strong body with safety protection
Power consumption 2100 W



ZOAY VP

Over heating protection
Tip Over switch
Power indicator
Strong body with safety protection
Power consumption 2100 W



ZOAY VW

Over heating protection
Tip Over switch
Power indicator
Strong body with safety protection
Power consumption 2100 W





Product Range Catalogue

India's Leading
Kitchen Appliances
Brand

My Kitchen
Hafner Kitchen



HAFNER

Simply the best!

Contact Us



012046068287
+91-7307542081



Info@hafner.co.in
sales@hafner.co.in



www.hafner.co.in



B-30 & 31, Asola Extention
Delhi- 110074

Presense in - France, India,
Nepal, Bangladesh, Srilanka &
Africa